

PERA

PERAXSKIM system + Peraguard



BATCH NUMBER:

colour:

Advanced technology of complete premixed blend of decorative coloured exterior wall protective coating of cementitious ingredients just add water: SEE DOSAGE NOTES ON REVERSE.

www.peracrete.com info@peracrete.com Tel: +628113380020

NETT WEIGHT : 20 kg



sponge finish

**4-5 SQM2 AT
1.5 MM
THICKNESS**



Textures, knock down, sponge finish, smooth, heavy and fine sprayed

SPESIFIKASI

Nama Produk

Decorative protective skim coat

Masa Berlaku Produk

2023-12-31

Merek

Peraxskim

No. Produk Penyedia

Pera

Unit Pengukuran

Sak 20 kg

Nama pemilik sertifikat

PT Pera Abadi Sentausa



Dove



Salmon



Ivory



Limestone



Mushroom



Charcoal



No.SNI

Tidak ada

Batu

Max agg. 0.5mm

Jenis pelapis dinding

Skim coat for exterior walls

Ketebalan

1mm-2mm

Mutu base coat min.

Datar dan sehat

Cara Pengiriman

Truk

Pengalaman kerja

Memiliki Pengalaman akerja

Manfaat

Anti crack,uv resistant Resistant to MIC and mold.Waterproof and weather proof in luxurious pigments

Ratio air - semen

0.39

Air

3.9-4 Litre per 20kg bag



kekuatan

20 MPa

Lentur

Kekuatan tarik yang tinggi

Tekstur

Flat polished, knock down, sponge, brush sprayed heavy and fine textures

Ingredients

Filler, cement, pasir, advanced admixtures

Percampuran

Cukup tambahkan air 4 liter per 20 kg canton

Menyelesaikan

After 3 hrs lightly spray water over surface and immediately then spray over surface Peraguard to enforce the protection and help cure.